



## SAFETY DATA SHEET PU COLORFAST LX

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

### 1. Identification

#### Product identifier

**Product name** PU COLORFAST LX

**Product number** 8518

**Internal identification** RAW UMBER

#### Recommended use of the chemical and restrictions on use

**Application** Pigment

**Uses advised against** No specific uses advised against are identified.

#### Details of the supplier of the safety data sheet

**Manufacturer** ParexUSA, Inc.  
4125 E. La Palma Ave, Suite 250  
Anaheim, CA 92807, USA  
T: 1-800-226-2424  
F: 1-714-774-2079

**Contact Information** Technical Department  
technicalservice@parexusa.com  
www.parexusa.com

#### Emergency telephone number

**Emergency telephone** CHEMTREC  
1-800-424-9300

### 2. Hazard(s) identification

#### Classification of the substance or mixture


**Physical hazards** Not Classified

**Health hazards** Skin Sens. 1 - H317 Carc. 1A - H350

**Environmental hazards** Aquatic Acute 3 - H402 Aquatic Chronic 3 - H412

#### Label elements

##### Pictogram



**Signal word** Danger

**Hazard statements** H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
H412 Harmful to aquatic life with long lasting effects.

## PU COLORFAST LX

|                                 |  |
|---------------------------------|--|
| <b>Precautionary statements</b> | <p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P261 Avoid breathing vapor/ spray.</p> <p>P272 Contaminated work clothing must not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P308+P313 If exposed or concerned: Get medical advice/ attention.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p> |
|---------------------------------|--|

**Contains** Quartz, 3-iodo-2-propynyl-butylcarbamate, Carbon Black

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### Mixtures

|   |                        |
|---|------------------------|
| <b>3-iodo-2-propynyl-butylcarbamate</b>   | <b>&lt;1%</b>          |
| CAS number: 55406-53-6  |                        |
| M factor (Acute) = 1  | M factor (Chronic) = 1 |
| <b>Classification</b><br>Acute Tox. 4 - H302<br>Acute Tox. 3 - H331<br>Eye Dam. 1 - H318<br>Skin Sens. 1 - H317<br>STOT RE 1 - H372<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410 |                        |
| <b>Quartz</b>   | <b>&lt;1%</b>          |
| CAS number: 14808-60-7  |                        |
| <b>Classification</b><br>Carc. 1A - H350<br>STOT RE 1 - H372  |                        |
| <b>Carbon Black</b>   | <b>&lt;1%</b>          |
| CAS number: 1333-86-4   |                        |
| <b>Classification</b><br>Carc. 2 - H351   |                        |

The full text for all hazard statements is displayed in Section 16.

**Composition comments** The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200.

### 4. First-aid measures

## PU COLORFAST LX

### Description of first aid measures

|                                   |  |
|-----------------------------------|--|
| <b>General information</b>        | Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.   |
| <b>Inhalation</b>                 | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place. |
| <b>Ingestion</b>                  | Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention.                                   |
| <b>Skin Contact</b>               | Rinse with water.  |
| <b>Eye contact</b>                | Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.  |
| <b>Protection of first aiders</b> | First aid personnel should wear appropriate protective equipment during any rescue.  |

### Most important symptoms and effects, both acute and delayed

|                            |   |
|----------------------------|---|
| <b>General information</b> | The severity of the symptoms described will vary dependent on the concentration and the length of exposure.   |
| <b>Inhalation</b>          | A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer. |
| <b>Ingestion</b>           | May cause irritation. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.  |
| <b>Skin contact</b>        | Redness. Irritating to skin. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.   |
| <b>Eye contact</b>         | Irritating to eyes.   |

### Indication of immediate medical attention and special treatment needed

|                             |                        |
|-----------------------------|------------------------|
| <b>Notes for the doctor</b> | Treat symptomatically. |
|-----------------------------|------------------------|

### **5. Fire-fighting measures**

#### Extinguishing media

|                                       |  |
|---------------------------------------|--|
| <b>Suitable extinguishing media</b>   | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| <b>Unsuitable extinguishing media</b> | Do not use water jet as an extinguisher, as this will spread the fire.   |

#### Special hazards arising from the substance or mixture

|                                      |   |
|--------------------------------------|---|
| <b>Specific hazards</b>              | Containers can burst violently or explode when heated, due to excessive pressure build-up.                  |
| <b>Hazardous combustion products</b> | Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. |

#### Advice for firefighters

## PU COLORFAST LX

|  |  |
|--|--|
| <b>Protective actions during firefighting</b>        | Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. |
| <b>Special protective equipment for firefighters</b> | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.  |

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

|                             |  |
|-----------------------------|--|
| <b>Personal precautions</b> | Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapors. Use suitable respiratory protection if ventilation is inadequate. |
|-----------------------------|--|

#### Environmental precautions

|                                  |   |
|----------------------------------|---|
| <b>Environmental precautions</b> | Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. |
|----------------------------------|---|

#### Methods and material for containment and cleaning up

|                                |   |
|--------------------------------|---|
| <b>Methods for cleaning up</b> | Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13. |
|--------------------------------|---|

|                                    |   |
|------------------------------------|---|
| <b>Reference to other sections</b> | For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. |
|------------------------------------|---|

### 7. Handling and storage

#### Precautions for safe handling

|                          |   |
|--------------------------|---|
| <b>Usage precautions</b> | Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Suspected of causing cancer. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. |
|--------------------------|---|

|   |  |
|---|--|
| <b>Advice on general occupational hygiene</b> | Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. |
|---|--|

#### Conditions for safe storage, including any incompatibilities

|                            |   |
|----------------------------|---|
| <b>Storage precautions</b> | Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. |
|----------------------------|---|

|                      |   |
|----------------------|---|
| <b>Storage class</b> | Miscellaneous hazardous material storage. |
|----------------------|---|

## PU COLORFAST LX

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

#### Control parameters

#### Occupational exposure limits

##### Quartz

Long-term exposure limit (8-hour TWA): OSHA 0.05 mg/m<sup>3</sup> respirable dust

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m<sup>3</sup> respirable fraction

A2

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A2 = Suspected Human Carcinogen.

#### Quartz (CAS: 14808-60-7)

**Immediate danger to life and health** 25 mg/m<sup>3</sup> 50 mg/m<sup>3</sup>

#### Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

##### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

##### Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

##### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

##### Hygiene measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

##### Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

## PU COLORFAST LX

**Environmental exposure controls** Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

|   |                           |
|---|---------------------------|
| <b>Appearance</b>                                   | Liquid.                   |
| <b>Odor threshold</b>                               | No information available. |
| <b>pH</b>   | No information available. |
| <b>Melting point</b>                                | Not available.            |
| <b>Initial boiling point and range</b>              | No information available. |
| <b>Flash point</b>                                  | No information available. |
| <b>Evaporation rate</b>                             | No information available. |
| <b>Flammability (solid, gas)</b>                    | No information available. |
| <b>Upper/lower flammability or explosive limits</b> | No information available. |
| <b>Vapor pressure</b>                               | No information available. |
| <b>Vapor density</b>                                | No information available. |
| <b>Relative density</b>                             | No information available. |
| <b>Solubility(ies)</b>                              | Insoluble in water.       |
| <b>Partition coefficient</b>                        | No information available. |
| <b>Auto-ignition temperature</b>                    | No information available. |
| <b>Decomposition Temperature</b>                    | No information available. |
| <b>Viscosity</b>                                    | No information available. |
| <b>Other information</b>                            | None.                     |

### 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | There are no known reactivity hazards associated with this product.   |
| <b>Stability</b>                          | Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.   |
| <b>Possibility of hazardous reactions</b> | No potentially hazardous reactions known.   |
| <b>Conditions to avoid</b>                | There are no known conditions that are likely to result in a hazardous situation.   |
| <b>Materials to avoid</b>                 | No specific material or group of materials is likely to react with the product to produce a hazardous situation.  |
| <b>Hazardous decomposition products</b>   | Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. |

## PU COLORFAST LX

### 11. Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE inhalation (vapours mg/l)** 545.45

##### Skin corrosion/irritation

**Animal data** Irritating.

##### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye irritation.

##### Respiratory sensitization

**Respiratory sensitization** Based on available data the classification criteria are not met.

##### Skin sensitization

**Skin sensitization** Based on available data the classification criteria are not met.

##### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

##### Carcinogenicity

**Carcinogenicity** Suspected of causing cancer.

##### IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.

##### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development**

Based on available data the classification criteria are not met.

##### Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 3 - H335 May cause respiratory irritation.

**Target organs** Respiratory system, lungs

##### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

##### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

##### General information

May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

##### Inhalation

A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.

## PU COLORFAST LX

|                       |  |
|-----------------------|--|
| <b>Ingestion</b>      | May cause irritation.                        |
| <b>Skin Contact</b>   | Redness. Irritating to skin.                 |
| <b>Eye contact</b>    | Irritating to eyes.                          |
| <b>Route of entry</b> | Ingestion Inhalation Skin and/or eye contact |
| <b>Target Organs</b>  | Respiratory system, lungs                    |

### 12. Ecological Information

**Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

#### Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

#### Mobility in soil

**Mobility** No data available.

#### Other adverse effects

**Other adverse effects** None known.

### 13. Disposal considerations

#### Waste treatment methods

**General information** The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### 14. Transport information

#### UN Number

**UN No. (DOT)** Not applicable.

#### UN proper shipping name

**Proper shipping name (DOT)** Not applicable.

#### Transport hazard class(es)

#### **DOT transport labels**

No transport warning sign required.

#### Packing group

**DOT packing group** Not applicable.



## PU COLORFAST LX

### Special precautions for user

DOT reportable quantity Not applicable.

DOT TIH Zone Not applicable.

### 15. Regulatory information

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed or exempt.

##### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed or exempt.

##### **SARA 313 Emission Reporting**

The following ingredients are listed or exempt:

*3-iodo-2-propynyl-butylcarbamate*

1.0 %

##### **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

##### **FDA - Essential Chemical**

None of the ingredients are listed or exempt.

##### **FDA - Precursor Chemical**

None of the ingredients are listed or exempt.

##### **SARA (311/312) Hazard Categories**

None of the ingredients are listed or exempt.

##### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

#### US State Regulations

##### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

##### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed or exempt.

##### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed or exempt.

##### **California Directors List of Hazardous Substances**

The following ingredients are listed or exempt:

##### **Massachusetts "Right To Know" List**

The following ingredients are listed or exempt:

##### **Rhode Island "Right To Know" List**

The following ingredients are listed or exempt:

## PU COLORFAST LX

### Minnesota "Right To Know" List

The following ingredients are listed or exempt:

### New Jersey "Right To Know" List

The following ingredients are listed or exempt:

*3-iodo-2-propynyl-butylcarbamate*

Present.

### Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

### Inventories

#### US - TSCA

The following ingredients are listed or exempt:

*3-iodo-2-propynyl-butylcarbamate*

Present.

*2-methylisothiazol-3(2H)-one*

Present.

#### US - TSCA 12(b) Export Notification

The following ingredients are listed or exempt:

*2-methylisothiazol-3(2H)-one*

Present.

### 16. Other information

|                                  |   |
|----------------------------------|---|
| <b>Training advice</b>           | Only trained personnel should use this material.  |
| <b>Revision date</b>             | 8/20/2018   |
| <b>Revision</b>                  | 1   |
| <b>SDS No.</b>                   | 4780  |
| <b>Hazard statements in full</b> | <p>H302 Harmful if swallowed.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H331 Toxic if inhaled.</p> <p>H350 May cause cancer.</p> <p>H351 Suspected of causing cancer.</p> <p>H372 Causes damage to organs through prolonged or repeated exposure.</p> <p>H372 Causes damage to organs (Larynx) through prolonged or repeated exposure.</p> <p>H400 Very toxic to aquatic life.</p> <p>H402 Harmful to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p> |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.